180 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

Additional information: Diameter hand hole 200 mm; some residues of previous content
Volumetric volume (L): 180 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Outlet of tank: DN40 DIN 11851
Agitator: yes
Number of revolutions: 224
Power: 0,55

Internal diameter tank: 640 mm
Outer diameter tank: 690 mm
Total height of tank: 1.950 mm

SKU: 483932

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: Diameter handhole 200 mm; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 180

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 640 mm
Total höjd: 1.950 mm
Ytterdiameter: 690 mm

Omrörare

Kraft (kW): 0,55
Varvtal: 224

Mer
Isolerad: Nej