

180 liter tank i Rostfritt 304



44,000,00 kr /st exkl moms

Additional information: Diameter handhole 200 mm; some residues of previous content

Volumetric volume (L): 180 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Agitator: yes

Number of revolutions: 224

Power: 0,55

Internal diameter tank: 640 mm

Outer diameter tank: 690 mm

Total height of tank: 1.950 mm

SKU: 483932

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Diameter handhole 200 mm; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 180

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 640 mm

Total höjd: 1.950 mm

Ytterdiameter: 690 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 224

Mer

Isolerad: Nej
