

## 1800 liter tank i Rostfritt 304



**36 000 SEK /st exkl moms**

**Additional information:** Food industry; Double-chamber vessel 1800 liters (1 x 1300 liters, 1 x 500 liters); one manhole diameter approx. 415 mm per chamber; 1 outlet per chamber (1 x inner pipe diameter approx. 35 mm, 1 x inner pipe diameter approx. 38 mm); 2 welded stainless steel 304 reinforcements in one of the chambers (see photos)

**Volumetric volume (L):** 1.800 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** pipe end  $\varnothing$  appr. 50mm  
**Bottom:** 2 mm  
**Total height of tank:** 1.500 mm  
**Total outer width:** 2.080 mm  
**Total outer length:** 1.100 mm

**SKU:** 298580

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Food industry; Double chamber tank 1800 liters (1 x 1300 liters, 1 x 500 liters); one manhole diameter approx. 415 mm per chamber; 1 outlet per chamber (1 x inner pipe diameter approx. 35 mm, 1 x

Övrig information2: inner pipe diameter approx. 38 mm); 2 welded reinforcements made of Aisi 304 in one of the chambers (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1800

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 1.500 mm

## Tjocklek på tank

Botten: 2 mm

**Mer**

Isolerad: Nej

---