

1800 liter tank i Syrafast 316



64,000,00 kr /st exkl moms

Additional information: 1 external pipeline; screwed to the outlet 1 outlet fitting with reduction to DN 65 DIN 11851 (partially cut off); some residues of previous content

Volumetric volume (L): 1.800 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN100 DIN 11851

Internal diameter tank: 1.190 mm

Outer diameter tank: 1.320 mm

Cylinder height: 1.490 mm

Total height of tank: 2.600 mm

SKU: 286628

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 1 external pipeline; screwed to the outlet 1 outlet fitting with reduction to DN 65 DIN 11851 (partially cut off); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1800

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.490 mm

Invändig diameter: 1.190 mm

Total höjd: 2.600 mm

Ytterdiameter: 1.320 mm

Mer

Isolerad: Ja