

18000 liter tank i Rostfritt 304



128 000 SEK /st exkl moms

Additional information: 1 rectangular opening, approx. 490 x 490 mm, with a cover in the fuel filler cap; some residues of previous content

Volumetric volume (L): 18.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 83

Agitator: yes

Number of revolutions: 40

Power: 3

Internal diameter tank: 2.785 mm

Cylinder height: 2.990 mm

Total height of tank: 5.100 mm

SKU: 707950

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 1 rectangular opening, approx. 490 x 490 mm, with a cover in the fuel filler cap; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 18000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.990 mm

Invändig diameter: 2.785 mm

Total höjd: 5.100 mm

Omrörare

Kraft (kW): 3

Varvtal: 40



Mer

Isolerad: Nej