

1813 liter tank i Syrafast 316



51,000,00 kr /st exkl moms

Additional information: Chemistry; some residues of previous content

Volumetric volume (L): 1.813 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: available

Cylinder: 4,20 mm

Bottom: 4,70 mm

Internal diameter tank: 1.195 mm

Cylinder height: 1.260 mm

Total height of tank: 2.600 mm

SKU: 485063

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure and vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: chemistry; some residues of previous content
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1813

Utrustning

Dokument finns: Nej
Fläns för omrörare: Ja
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.260 mm
Invändig diameter: 1.195 mm
Total höjd: 2.600 mm



Tjocklek på tank

Botten: 4,70 mm

Cylinder: 4,20 mm

Mer

Isolerad: Nej