

18430 liter tank i Syrafast 316



181 000 SEK /st exkl moms

Additional information: Steel (Fe) saddles

Volumetric volume (L): 18.430 L

Pressure in tank: pressure

Max. pressure (Bar): 4,50 Bar



Min. pressure (Bar): 4,50 Bar

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 16 L

Max Overpressure: 2 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 2.350 mm

Total outer length: 4.600 mm

SKU: 708412

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Steel (Fe) saddles
Omrörare: Nej
Övertryck: 4,50 Bar
Total urtappning: Ja
Undertryck (vakuum): 4,50 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 18430

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.350 mm

Mer

Isolerad: Nej