

19000 liter tank i Syrafast 316



189 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; Stainless steel 304 upright frame; some residues of previous content; manhole cover plated

Volumetric volume (L): 19.000 L

Pressure in tank: vacuum



Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,20 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: available

Top: 5,40 mm

Cylinder: 5 mm

Bottom: 5,80 mm

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.000 mm

Cylinder height: 5.570 mm

Total height of tank: 7.150 mm

SKU: 477562

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Stand frame, Aisi 304; some residues of previous content; manhole cover plated

Omrörare: Nej

Övertryck: 0,20 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,20 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 19000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 5.570 mm

Invändig diameter: 2.000 mm

Total höjd: 7.150 mm

Ytterdiameter: 2.000 mm

Tjocklek på tank

Botten: 5,80 mm

Cylinder: 5 mm

Topp: 5,40 mm

Mer

Isolerad: Nej