

192 liter tank i Syrafast 316



29 000 SEK /st exkl moms

Additional information: Cosmetics; Diameter handhole appr. 200 mm

Volumetric volume (L): 192 L

Pressure in tank: pressure

Max. pressure (Bar): 3,50 Bar

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 590 mm

Cylinder height: 480 mm

Total height of tank: 1.650 mm

SKU: 311878

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 80 °C
Mobil tank: Nej
Övrig information: Cosmetics; Diameter handhole appr. 200 mm
Omrörare: Nej
Övertryck: 3,50 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 192

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 480 mm
Invändig diameter: 590 mm
Total höjd: 1.650 mm

Mer

Isolerad: Nej

