19499 liter tank i Syrafast 316



142 000 SEK /st exkl moms

Additional information: 3 loose bearing shells made of Fe (galvanized); 1 manhole approx. 300 x 395 mm in the front base; mild steel reinforcement ring around the outside of the cylinder
Volumetric volume (L): 19.499 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 55

Internal diameter tank: 2.400 mm
Total height of tank: 2.800 mm
Total outer length: 4.900 mm

SKU: 398675

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; 3 loose bearing shells made of Fe (galvanized); 1 manhole appr. 300 x 395 mm in the front floor; reinforcement ring made of mild steel around the outside of the cylinder
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 19499

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.400 mm
Total höjd: 2.800 mm

Mer

Isolerad: Nej