

1950 liter tank i Syrafast 316



44,000,00 kr /st exkl moms

Additional information: Pharmacy; Foot frame, 304; slight differences in design; the manhole cover is missing in 2 containers, and the clamping ring of the manhole cover is missing in the third container; traces of usage

Volumetric volume (L): 1.950 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 250
Cylinder: 2,50 mm
Bottom: 2,50 mm
Total height of tank: 2.120 mm
Total outer width: 1.320 mm

Total outer length: 1.230 mm
Empty weight tank: 650

SKU: 278398

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Foot frame, 304; slight differences in design; the manhole cover is missing in 2 containers, and the clamping ring of the manhole cover is missing in the third container; traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1950

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 2.120 mm

Tjocklek på tank

Botten: 2,50 mm

Cylinder: 2,50 mm

Mer

Isolerad: Nej

Vikt: 650