

19600 liter tank i Rostfritt 304



230 000 SEK /st exkl moms

Additional information: Dairy; Presumably 3 cooling rings around the cylinder; heating connections have been machined off; 1 former manhole in the lower cylinder area was welded shut by the previous operator; base ends were cut off when the tank was dismantled and are loose (with minor dents; see photos); dents at the insulation jacket; pipe end cut flush

Volumetric volume (L): 19.600 L

Pressure in tank: vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 0,90 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Cylinder: 5 mm

Bottom: 7,90 mm

Internal diameter tank: 2.700 mm

Outer diameter tank: 2.900 mm

Cylinder height: 2.900 mm

Total height of tank: 5.000 mm

SKU: 435446

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Dairy; Probably 3 cooling rings around the cylinder; heating connections cut off; 1 former manhole in the lower cylinder area was welded shut by the previous operator; foot ends were cut off when

Övrig information2: were cut off when the tank was dismantled and are loose (with minor dents; see photos); dents at the insulation jacket; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,90 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 19600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.900 mm
Invändig diameter: 2.700 mm
Total höjd: 5.000 mm
Ytterdiameter: 2.900 mm

Tjocklek på tank

Botten: 7,90 mm
Cylinder: 5 mm

Mer

Isolerad: Ja