

1980 liter tank i Syrafast 316



113,000,00 kr /st exkl moms

Additional information: Height-adjustable frame made of V2A; various connections in the upper bottom; upper bottom can be moved with a lifting/pivoting device, which is no longer available; Agitator flange centered in the upper bottom; some residues of previous content

Volumetric volume (L): 1.980 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 99 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange

Top: 20 mm

Cylinder: 8 mm

Bottom: 8 mm

Internal diameter tank: 1.300 mm

Cylinder height: 1.095 mm

Total height of tank: 2.760 mm

SKU: 299256

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 99 °C

Mobil tank: Nej

Övrig information: Height-adjustable frame made of V2A; various connections in the upper bottom; upper bottom can be moved with a lifting/pivoting device, which is no longer available;

Agitator flange centered in the

Övrig information2: upper bottom; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1980

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.095 mm

Invändig diameter: 1.300 mm

Total höjd: 2.760 mm

Tjocklek på tank

Botten: 8 mm

Cylinder: 8 mm

Topp: 20 mm

Mer

Isolerad: Nej