

## 19900 liter tank i Rostfritt 304



**248,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** we can't give any guarantees about the heating/cooling jacket

**Volumetric volume (L):** 19.900 L

**Max. density P (kg/m<sup>3</sup>):** 1.050

**Ra inner weld:** 0,80

**Finish stainless steel:** IIb

**Pressure in tank:** pressure

**Design pressure (Bar):** 4,70 Bar

**Max. pressure (Bar):** 3,30 Bar

**Max. temperature (°C):** 30 °C

**Min. temperature (°C):** -10 °C

**Material wet parts:** SS AISI 304L (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** strong conical 60 °

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 4 adjustable feet

**Type of HE on the cylinder:** heating/cooling jacket

**Position HE:** the middle part of the cilinder

**Water pressure HE:** 3 Bar

**Working temperature HE cylinder:** 30 °C

**Type of HE on the bottom:** dimple-jacket

**Heat exchanger:** RVS 304

**Insulation material:** PUR

**Outer jacket (ornamental wall):** RVS 304L

**Spray ball:** RVS 304L

**Manway(s):** RVS 304

**Gasket manway(s):** EPDM

**Valve:** RVS 304

**Gasket shut-off valve (mat):** EPDM

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Flange for agitator:** no



**Number of manways:** 1

**Position of manway:** in the bottom

**Height manhole 1 (mm):** 550 mm

**Hinged lid:** yes

**Tank outlet:** inside Ø 50 mm

**Total outlet valve:** yes

**Agitator:** no, optional

**Top:** 4 mm

**Cylinder:** 3 mm

**Bottom:** 5 mm

**Top:** 2

**Insulation top:** yes

**Cylinder:** 2

**Insulation body:** yes

**Bottom:** 2

**Insulation bottom/sides:** yes

**finish of the outer jacket:** welded

**Insulation thickness:** 100

**Internal diameter tank:** 2.200 mm

**Distance from outlet to ground:** 501 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 4.250 mm

**Feet height:** 2.602 mm

**Total height of tank:** 8.105 mm

**Empty weight tank:** 2.820

**SKU:** 439430

Mer information

---