

## 200 liter tank i Syrafast 316



**203 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Vessel stands on load cells (4 pcs.); vessel height as per drawing without agitators; anchor agitator with wall scrapers

**Volumetric volume (L):** 200 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 4 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 12 L

**Max Overpressure:** 4 Bar

**Max. working temperature:** 150 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** clamp

**Agitator:** yes

**Internal diameter tank:** 708 mm

**Cylinder height:** 530 mm

**Total height of tank:** 1.100 mm

**SKU:** 565217

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; Vessel stands on load cells (4 pcs.); vessel height as per drawing without agitators; anchor agitator with wall scrapers; we can't give any guarantees about the heating/cooling jacket; we

Övrig information2: can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 200

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 530 mm

Invändig diameter: 708 mm

Total höjd: 1.100 mm

## Mer

Isolerad: Ja