

200 liter tank i Syrafast 316



64,000,00 kr /st exkl moms

Additional information: pharmacy; according to a sticker of the former operator max. working pressure 1,1 bar; 1 dent in the insulation jacket; insulation jacket of the lower bottom as well as counterweight of the upper bottom made of Fe; hand lever of the outlet valve is missing

Volumetric volume (L): 200 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 45

Agitator: yes
Number of revolutions: 16.5 / 32
Power: 0.88 / 1.3
Internal diameter tank: 790 mm
Outer diameter tank: 920 mm

Cylinder height: 580 mm
Total height of tank: 1.700 mm

SKU: 266347

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: pharmacy; according to a sticker of the former operator max. working pressure 1,1 bar; 1 dent in the insulation jacket; insulation jacket of the lower bottom as well as counterweight of the upper

Övrig information2: bottom made of Fe; hand lever of the outlet valve is missing; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 580 mm

Invändig diameter: 790 mm

Total höjd: 1.700 mm

Ytterdiameter: 920 mm

Omrörare

Kraft (kW): 0.88 / 1.3

Varvtal: 16.5 / 32

Mer

Isolerad: Ja