

## 2000 liter tank i Rostfritt 304



**43,000,00 kr /st exkl moms**

**Additional information:** Dairy; Outlet probably appr. 50 mm; manhole appr. 355 x 455 mm; some residues of previous content; dents at the insulation jacket

**Volumetric volume (L):** 2.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Position of manway:** cylinder

**Internal diameter tank:** 1.240 mm

**Outer diameter tank:** 1.350 mm

**Cylinder height:** 1.450 mm

**Total height of tank:** 2.750 mm

**Empty weight tank:** 750

**SKU:** 272797

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Outlet probably appr. 50 mm; manhole appr. 355 x 455 mm; some residues of previous content;dents at the insulation jacket

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.450 mm

Invändig diameter: 1.240 mm

Total höjd: 2.750 mm

Ytterdiameter: 1.350 mm

## Mer

Isolerad: Ja

Vikt: 750

