

2000 liter tank i Rostfritt 304



63,000,00 SEK /st exkl moms

Additional information: Confectionery industry; 1 circular sheet metal cutout diameter approx. 50 mm in the lid (see photos)

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 50

Agitator: yes

Number of revolutions: 15

Power: 2,20

Internal diameter tank: 1.290 mm

Outer diameter tank: 1.400 mm

Cylinder height: 1.480 mm

Total height of tank: 2.480 mm

SKU: 278722

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Confectionery industry; 1 circular sheet metal cutout diameter approx. 50 mm in the lid (see photos); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.480 mm

Invändig diameter: 1.290 mm

Total höjd: 2.480 mm

Ytterdiameter: 1.400 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 15

Mer

Isolerad: Nej
