

## 2000 liter tank i Rostfritt 304



**57 000 SEK /st exkl moms**

**Additional information:** Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly out of round); dents in the upper bottom; insulating jacket cut open at the end of the cone bottom (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush

**Volumetric volume (L):** 2.000 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no

**Position of manway:** headside  
**Outlet of tank:** 150  
**Internal diameter tank:** 1.340 mm  
**Outer diameter tank:** 1.500 mm  
**Cylinder height:** 1.400 mm

**Total height of tank:** 3.500 mm

**SKU:** 463251

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly unround); dents in the upper bottom; insulation jacket cut open at the end of the cone bottom

Övrig information2: (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 1.340 mm

Total höjd: 3.500 mm

Ytterdiameter: 1.500 mm

**Mer**

Isolerad: Ja

---