

2000 liter tank i Rostfritt 304



22,000,00 kr /st exkl moms

Article type: second-hand transport tank

Additional information: Compound feed containers, not suitable for liquids, sliding flap 520mm x 420mm

Volumetric volume (L): 2.000 L

Max. density P (kg/m³): 500

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: flat

Shape of tank: square

Bottom type: strong conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 395 mm

Total outlet valve: yes

Agitator: no

Cylinder height: 1.250 mm

Total height of tank: 2.110 mm

Total outer width: 1.150 mm

Total outer length: 1.150 mm

Empty weight tank: 250

SKU: 430298



Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 500

Mobil tank: Nej

Övrig information: Compound feed containers, not suitable for liquids, sliding flap 520mm x 420mm

Omrörare: Nej

Tankens form: square

Total urtappning: Ja

Typ av botten: strong conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304L (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Teknisk ritning finns: Nej

Utloppsventil: Ja

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): galvanised steel

**Dimensioner av tank**

Cylinderhöjd: 1.250 mm

Total höjd: 2.110 mm

Mer

Isolerad: Nej

Vikt: 250