

2000 liter tank i Rostfritt 304



37 000 SEK /st exkl moms

Additional information: colours & coatings; Manhole diameter: approx. 395 mm; ; some residues of previous content

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 50

Internal diameter tank: 1.265 mm

Cylinder height: 1.570 mm

Total height of tank: 2.200 mm

Total outer width: 1.480 mm

Empty weight tank: 300

SKU: N/A

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: colours & coatings; Manhole diameter: approx. 395 mm;; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.570 mm

Invändig diameter: 1.265 mm

Total höjd: 2.200 mm

Mer

Isolerad: Nej

Vikt: 300