2000 liter tank i Rostfritt 304



48 000 SEK /st exkl moms

Additional information: Base plates of the feet made of Fe (1 base plate with hole; see photos)
Volumetric volume (L): 2.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 1.440
Power: 5
Internal diameter tank: 1.500 mm

Cylinder height: 1.000 mm
Total height of tank: 2.850 mm

SKU: 486758-1

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Cosmetics; Base plates of the feet made of Fe (1 base plate with hole; see photos); we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.500 mm
Total höjd: 2.850 mm

Omrörare

Kraft (kW): 5
Varvtal: 1.440

Mer
Isolerad: Nej