

## 2000 liter tank i Rostfritt 304



**40 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 2.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no



**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 3 non adjustable feet

**Type of HE on the cylinder:** dimple-jacket

**Position HE:** the middle part of the cilinder

**Water pressure HE:** 2 Bar

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** cylinder

**Height manhole 1 (mm):** 430 mm x H 330 mm

**Tank outlet:** inside Ø

**Outlet of tank:** DN40

**Agitator:** no

**Distance from outlet to ground:** 160 mm

**Outer diameter tank:** 1.210 mm

**Cylinder height:** 2.100 mm

**Total height of tank:** 2.600 mm

**Empty weight tank:** 700

**SKU:** 487683

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Mobil tank: Nej  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: dished  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 2000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø  
Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 2.100 mm

Mått utlopp till marken: 160 mm

Total höjd: 2.600 mm

Ytterdiameter: 1.210 mm

## Värmeväxlare

Position värmeväxlare: the middle part of the cilinder

Typ av värmeväxlare på cylinder: dimple-jacket

Vattentryck värmeväxlare: 2 Bar

## Mer

Isolerad: Nej

Vikt: 700