

2000 liter tank i Rostfritt 304



46 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: manway 265mm x500mm

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: flat

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Hinged lid: yes

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Top: 5 mm

Cylinder: 4 mm

Bottom: 4 mm

Tank capacity top cylinder: 2.244 L

Distance from outlet to ground: 300 mm

Outer diameter tank: 1.260 mm

Cylinder height: 1.800 mm

Total height of tank: 2.500 mm

Empty weight tank: 600

SKU: 180841

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: manway 265mm x500mm
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 1.800 mm
Mått utlopp till marken: 300 mm
Total höjd: 2.500 mm
Ytterdiameter: 1.260 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 4 mm
Topp: 5 mm

Mer

Isolerad: Nej
Vikt: 600