


## 2000 liter tank i Rostfritt 304



**109 000 SEK /st exkl moms**

**Additional information:** cylinder made of heat-resistant steel; permissible working pressure: 72 bar; permissible working temperature: 300° C; capacity: 400 liter; tubes made of titan II; permissible working pressure: 200 bar; permissible working temperature: 300°C; capacity: 100 liter; chemistry; some residues of previous content

**Volumetric volume (L):** 2.000 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Outlet of tank:** 25

**Agitator:** yes  
**Number of revolutions:** 290  
**Power:** 55  
**Internal diameter tank:** 1.400 mm  
**Outer diameter tank:** 1.050 mm

**Cylinder height:** 1.400 mm  
**Total height of tank:** 2.300 mm  
**Total outer length:** 8.512 mm

**SKU:** 271342

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: cylinder made of heat-resistant steel; permissible working pressure: 72 bar; permissible working temperature: 300° C; capacity: 400 liter; tubes made of titan II: permissible working pressure: 200

Övrig information2: bar; permissible working temperature: 300°C; capacity: 100 liter; chemistry; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 1.400 mm

Total höjd: 2.300 mm

Ytterdiameter: 1.050 mm

**Omrörare**

Kraft (kW): 55

Varvtal: 290

**Mer**

Isolerad: Ja