# 2000 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

**Additional information**: Ice-cream produktion; support brackets, Aisi 304 (unevenly distributed); smaller dents in the upper bottom; at one tank the spray-ball is loose; some residues of previous content
**Volumetric volume (L)**: 2.000 L
**Pressure in tank**: ATM - atmosferic
**Material wet parts**: SS AISI 304 (V2A)

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Model**: vertical

**Configuration**: insulated
**Heat exchanger**: no
**Insulation**: yes
**Mobile tank**: no
**Total discharge**: yes

**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: no
**Flange for agitator**: no
**Position of manway**: in the bottom

**Outlet of tank**: 100
**Internal diameter tank**: 1.380 mm
**Outer diameter tank**: 1.500 mm
**Cylinder height**: 1.300 mm
**Total height of tank**: 1.850 mm

**SKU:** 390740

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Ice-cream produktion; support brackets, Aisi 304 (unevenly distributed); smaller dents in the upper bottom; at one tank the spray-ball is loose; some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2000

## Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.300 mm
Invändig diameter: 1.380 mm
Total höjd: 1.850 mm
Ytterdiameter: 1.500 mm

## Mer

Isolerad: Ja