

2000 liter tank i Syrafast 316



31 000 SEK /st exkl moms

Additional information: Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer); Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage



Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 430

Total height of tank: 1.600 mm

Total outer width: 1.550 mm

Total outer length: 1.550 mm

SKU: N/A

Mer information

Beskrivning av produkt

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer);

Övrig information2: Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Dimensioner av tank

Total höjd: 1.600 mm

Mer

Isolerad: Nej