

## 2000 liter tank i Syrafast 316



**31 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer); Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage

**Volumetric volume (L):** 2.000 L

**Pressure in tank:** ATM - atmosferic

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** 430

**Total height of tank:** 1.600 mm

**Total outer width:** 1.550 mm

**Total outer length:** 1.550 mm

**SKU:** N/A

Mer information

## Beskrivning av produkt

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Basic internal dimensions approx. 1,500 x 1,500 mm; wall height approx. 500 mm; cone height approx. 700 mm; Outlet with Matcon cone valve (discharging station not part of the offer);

Övrig information2: Manhole diameter approx. 630 mm; Plastic rails (probably Teflon) under the frame (see photos); traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 2000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Dimensioner av tank

Total höjd: 1.600 mm

## Mer

Isolerad: Nej