

2000 liter tank i Syrafast 316



58 000 SEK /st exkl moms

Additional information: Fruit juice concentrate; 1 former connection in the cylinder was welded shut by the previous operator (see photos); the manhole cover mounting is incomplete

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.190 mm

Cylinder height: 1.500 mm

Total height of tank: 3.100 mm

SKU: 707809

Mer information



Beskrivning av produkt

Material: Syrefast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Brukt

Arbetsstryck i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Övrig information: Fruit juice concentrate; 1 former connection in the cylinder was welded shut by the previous operator (see photos); the manhole cover mounting is incomplete

Omrörare: Nei

Total urtappning: Ja

Uppvärmning/kylning: Nei, det er det ikke.

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2000

Utrustning

Dokument finns: Nei, det er det ikke.

Fläns för omrörare: Nei

Märkskylt: Ja

Teknisk ritning finns: Nei, det er det ikke.

Översikt material

Material: Syrefast 316

Dimensioner av tank

Cylinderhöjd: 1 500 mm

Invändig diameter: 1190 mm

Total höjd: 3 100 mm

Mer

Isolerad: Nei