

2000 liter tank i Syrafast 316



57 000 SEK /st exkl moms

Additional information: 1 pipe inside; Metallic discolouration inside

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 48

Internal diameter tank: 1.100 mm

Cylinder height: 2.040 mm

Total height of tank: 3.250 mm

Empty weight tank: 800

SKU: 285073

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 90 °C
Mobil tank: Nej
Övrig information: 1 pipe inside; Metallic discolouration inside
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 2000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.040 mm
Invändig diameter: 1.100 mm
Total höjd: 3.250 mm

Mer

Isolerad: Nej
Vikt: 800