20000 liter tank i Rostfritt 304



209 000 SEK /st exkl moms

Additional information: Dairy; Opening for ventilation hood available (the hood itself is missing)
Volumetric volume (L): 20.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: available
Agitator: yes
Number of revolutions: 19
Power: 5,50
Internal diameter tank: 2.530 mm

Cylinder height: 3.700 mm
Total height of tank: 6.900 mm

SKU: 397316

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Dairy; Opening for ventilation hood available (the hood itself is missing); we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 20000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.700 mm
Invändig diameter: 2.530 mm
Total höjd: 6.900 mm

Omrörare

Kraft (kW): 5,50
Varvtal: 19

Mer
Isolerad: Nej