

20000 liter tank i Rostfritt 304



135,000 SEK /st exkl moms

Additional information: Water-glycol mixture; 1 manhole approx. 350 x 440 mm in the front bottom; 2 height-adjustable screws of the feet are missing

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN65 DIN 11851

Agitator: yes

Number of revolutions: 960

Power: 8

Internal diameter tank: 2.400 mm

Total height of tank: 3.050 mm

Total outer length: 5.500 mm

SKU: 274717

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Water-glycol mixture; 1 manhole approx. 350 x 440 mm in the front bottom; 2 height-adjustable screws of the feet are missing; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.400 mm

Total höjd: 3.050 mm

Omrörare

Kraft (kW): 8

Varvtal: 960

Mer

Isolerad: Nej
