

20000 liter tank i Rostfritt 304



169,000,00 kr /st exkl moms

Additional information: Dairy; Manhole upper bottom diameter appr. 420 mm, manhole cylinder appr. 410 x 510 mm; some residues of previous content; pipe end cut flush; Metallic discolouration inside

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 940

Power: 2

Internal diameter tank: 2.490 mm

Cylinder height: 4.050 mm

Total height of tank: 5.650 mm

SKU: 275776

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Dairy; Manhole upper bottom diameter appr. 420 mm, manhole cylinder appr. 410 x 510 mm; some residues of previous content; pipe end cut flush; Metallic discolouration inside; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.050 mm

Invändig diameter: 2.490 mm

Total höjd: 5.650 mm

Omrörare

Kraft (kW): 2

Varvtal: 940

Mer

Isolerad: Nej
