

## 20000 liter tank i Rostfritt 304



**167 000 SEK /st exkl moms**

**Additional information:** Dairy; Manhole upper bottom diameter appr. 420 mm, manhole cylinder appr. 410 x 510 mm; some residues of previous content; pipe end cut flush; Metallic discolouration inside

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 940

**Power:** 2

**Internal diameter tank:** 2.490 mm

**Cylinder height:** 4.050 mm

**Total height of tank:** 5.650 mm

**SKU:** 275776

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Dairy; Manhole upper bottom diameter appr. 420 mm, manhole cylinder appr. 410 x 510 mm; some residues of previous content; pipe end cut flush; Metallic discolouration inside; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.050 mm

Invändig diameter: 2.490 mm

Total höjd: 5.650 mm

## Omrörare

Kraft (kW): 2

Varvtal: 940

**Mer**

Isolerad: Nej

---