

## 20000 liter tank i Rostfritt 304



**129 000 SEK /st exkl moms**

**Additional information:** Phosphoric acid; 2 bearing shells, Aisi 304; manhole diameter 380 mm; 1 pipe inside; some residues of previous content; Metallic discolouration inside

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 38

**Cylinder:** 3 mm

**Bottom:** 2,90 mm

**Internal diameter tank:** 2.270 mm

**Total height of tank:** 2.650 mm

**Total outer length:** 5.600 mm

**SKU:** 293482

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Phosphoric acid; 2 bearing shells, Aisi 304; manhole diameter 380 mm; 1 pipe inside; some residues of previous content;Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Invändig diameter: 2.270 mm

Total höjd: 2.650 mm

**Tjocklek på tank**

Botten: 2,90 mm

Cylinder: 3 mm

**Mer**

Isolerad: Nej