20000 liter tank i Rostfritt 304



219 000 SEK /st exkl moms

Additional information: Hand lever on the butterfly valve of the outlet is missing; bump at the cylinder
Volumetric volume (L): 20.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN100 DIN 11851
Agitator: yes
Power: 7,50
Internal diameter tank: 2.840 mm
Cylinder height: 2.990 mm

Total height of tank: 4.800 mm

SKU: 420548

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Hand lever on the butterfly valve of the outlet is missing; bump at the cylinder; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 20000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.990 mm
Invändig diameter: 2.840 mm
Total höjd: 4.800 mm

Omrörare

Kraft (kW): 7,50

Mer
Isolerad: Nej