

20000 liter tank i Rostfritt 304



218 000 SEK /st exkl moms

Additional information: fruit juice; Smaller dents in the upper bottom; in addition, former connections were welded or sheet metal welded into the upper bottom; former outlet fitting is no longer available; Suspension of the manhole cover incomplete; bump at the cylinder

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Agitator: yes
Number of revolutions: 6.9 - 42
Power: 5,50
Internal diameter tank: 2.840 mm
Cylinder height: 2.990 mm

Total height of tank: 4.700 mm

SKU: 298882

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: fruit juice; Smaller dents in the upper bottom; in addition, former connections were welded or sheet metal welded into the upper bottom; former outlet fitting is no longer available; Suspension of

Övrig information2: the manhole cover incomplete; bump at the cylinder; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.990 mm

Invändig diameter: 2.840 mm

Total höjd: 4.700 mm



Omrörare

Kraft (kW): 5,50

Varvtal: 6.9 - 42

Mer

Isolerad: Nej