

## 20000 liter tank i Rostfritt 304



**220,000,00 kr /st exkl moms**

**Additional information:** fruit juice; Smaller dents in the upper bottom; in addition, former connections were welded or sheet metal welded into the upper bottom; former outlet fitting is no longer available; Suspension of the manhole cover incomplete; bump at the cylinder

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** in the bottom

**Agitator:** yes  
**Number of revolutions:** 6.9 - 42  
**Power:** 5,50  
**Internal diameter tank:** 2.840 mm  
**Cylinder height:** 2.990 mm

**Total height of tank:** 4.700 mm

**SKU:** 298882

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: fruit juice; Smaller dents in the upper bottom; in addition, former connections were welded or sheet metal welded into the upper bottom; former outlet fitting is no longer available; Suspension of

Övrig information2: the manhole cover incomplete; bump at the cylinder; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.990 mm

Invändig diameter: 2.840 mm

Total höjd: 4.700 mm

**Omrörare**

Kraft (kW): 5,50

Varvtal: 6.9 - 42

**Mer**

Isolerad: Nej