20000 liter tank i Rostfritt 304



178 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: The tank has a Ø127mm overflowpipe
Volumetric volume (L): 20.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Shape of tank: cylindrical
Wall type: conical
Total discharge: yes
Fixation points: 4 non adjustable feet
Manway(s): RVS 304

Gasket manway(s): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside
Hinged lid: yes
Tank outlet: inside Ø 64 mm

Agitator: no, optional
Total height of tank: 3.500 mm
Total outer width: 2.600 mm
Total outer length: 4.500 mm

SKU: 483556

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: The tank has a Ø127mm overflowpipe
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 20000

Utrustning

Dokument finns: Nej, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 64 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Total höjd: 3.500 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolerad: Nej