

20000 liter tank i Rostfritt 304



172 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Previous product was ferrosorp. Some residue from the previous product is still present in the tanks. The tanks can be cleaned before delivery.

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 510 mm

Tank outlet: inside Ø 212 mm

Outlet of tank: DN200

Agitator: no

Top: 4 mm

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 1.992 mm

Distance from outlet to ground: 1.850 mm

Outer diameter tank: 2.000 mm

Cylinder height: 6.200 mm

Feet height: 2.710 mm



Total height of tank: 11.000 mm

Total outer width: 2.700 mm

Total outer length: 2.950 mm

Empty weight tank: 4.000

SKU: 708526

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmospheric

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Some residue from the previous product is still present in the tanks. The tanks can be cleaned before delivery.

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Yes

Typ av botten: strong conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000



Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø 212 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): painted steel

Dimensioner av tank

Cylinderhöjd: 6.200 mm
Höjd på fötter: 2.710 mm
Invändig diameter: 1.992 mm
Mått utlopp till marken: 1.850 mm
Total höjd: 11.000 mm
Ytterdiameter: 2.000 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 4 mm
Topp: 4 mm

Mer

Isolerad: Nej
Vikt: 4.000