20000 liter tank i Rostfritt 304



168 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: Previous product was ferrosorp. Some residue from the previous product is still present in the tanks. The tanks can be cleaned before delivery.
Volumetric volume (L): 20.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Top type: dished
Shape of tank: cylindrical
Bottom type: strong conical
Total discharge: yes
Fixation points: 4 non adjustable feet

Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): painted steel
Suitable for food industry: no
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: headside

Height manhole 1 (mm): 510 mm
Tank outlet: inside Ø 212 mm
Outlet of tank: DN200
Agitator: no
Cylinder: 3 mm

Bottom: 4 mm
Internal diameter tank: 1.992 mm
Distance from outlet to ground: 1.850 mm
Outer diameter tank: 2.000 mm
Cylinder height: 6.200 mm

Feet height: 2.710 mm
Total height of tank: 11.000 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Total outer width: 2.700 mm
Total outer length: 2.950 mm
Empty weight tank: 4.000

SKU: 708526

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Some residue from the previous product is still present in the tanks. The tanks can be cleaned before delivery.
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Yes
Typ av botten: strong conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 20000

Utrustning
Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø 212 mm
Teknisk ritning finns: Nej

Översikt material
Material: Rostfritt 304
Fixeringspunkt(er): painted steel

Dimensioner av tank
Cylinderhöjd: 6.200 mm
Höjd på fötter: 2.710 mm
Invändig diameter: 1.992 mm
Mått utlopp till marken: 1.850 mm
Total höjd: 11.000 mm
Ytterdiameter: 2.000 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 4 mm
Topp: 4 mm

Mer
Isolerad: Nej
Vikt: 4.000