

## 20000 liter tank i Rostfritt 304



**131,000,00 kr /st exkl moms**

**Additional information:** textile industry; 1 pipeline for cleaning in the upper cylinder area; screw-nuts of the cover screws welded; agitator was removed meanwhile and is enclosed loose; some residues of previous content

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Outlet of tank:** 120

**Agitator:** yes  
**Number of revolutions:** 720 / 1455  
**Power:** 11 / 16  
**Top:** 2,30 mm  
**Cylinder:** 3,80 mm

**Bottom:** 3,80 mm  
**Internal diameter tank:** 2.800 mm  
**Cylinder height:** 3.000 mm  
**Total height of tank:** 4.450 mm

**SKU:** 459737

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: textile industry; 1 pipeline for cleaning in the upper cylinder area; screw-nuts of the cover screws welded; agitator was removed meanwhile and is enclosed loose; some residues of previous content;

Övrig information2: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.800 mm

Total höjd: 4.450 mm

## Omrörare

Kraft (kW): 11 / 16

Varvtal: 720 / 1455

**Tjocklek på tank**

Botten: 3,80 mm

Cylinder: 3,80 mm

Topp: 2,30 mm

**Mer**

Isolerad: Nej