

20000 liter tank i Rostfritt 304



196 000 SEK /st exkl moms

Additional information: Cip-tank in a dairy; parts of the insulation jacket are missing; dents in the inner cylinder; metallic discolourations inside (see pictures); bump at the insulation jacket

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN65 DIN 11851

Agitator: yes

Internal diameter tank: 2.540 mm

Outer diameter tank: 2.740 mm

Cylinder height: 3.650 mm

Total height of tank: 6.100 mm

SKU: 461322

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Cip-tank in a dairy; parts of the insulation jacket are missing; dents in the inner cylinder; metallic discolourations inside (see pictures); bump at the insulation jacket; we can't give any

Övrig information2: guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.650 mm

Invändig diameter: 2.540 mm

Total höjd: 6.100 mm

Ytterdiameter: 2.740 mm

Mer

Isolerad: Ja
