

20000 liter tank i Rostfritt 304



152,000,00 kr /st exkl moms

Additional information: Getränkeindustrie; at one tank one foot is pressed a bit in the lower bottom; small dents

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 480 / 980

Power: 1,1 / 4.0

Top: 3 mm

Cylinder: 3 mm

Bottom: 3,90 mm

Internal diameter tank: 2.850 mm

Cylinder height: 3.000 mm

Total height of tank: 4.800 mm

Empty weight tank: 1.500

SKU: 268735

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Getränkeindustrie; at one tank one foot is pressed a bit in the lower bottom; small dents; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.850 mm

Total höjd: 4.800 mm

Omrörare

Kraft (kW): 1,1 / 4.0

Varvtal: 480 / 980

Tjocklek på tank

Botten: 3,90 mm

Cylinder: 3 mm

Topp: 3 mm

Mer

Isolerad: Nej

Vikt: 1.500