

## 20000 liter tank i Rostfritt 304



**150 000 SEK /st exkl moms**

**Additional information:** Getränkeindustrie; at one tank one foot is pressed a bit in the lower bottom; small dents

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 480 / 980

**Power:** 1,1 / 4.0

**Top:** 3 mm

**Cylinder:** 3 mm

**Bottom:** 3,90 mm

**Internal diameter tank:** 2.850 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 4.800 mm

**Empty weight tank:** 1.500

**SKU:** 268735

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Getränkeindustrie; at one tank one foot is pressed a bit in the lower bottom; small dents; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 20000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.850 mm

Total höjd: 4.800 mm

## Omrörare

Kraft (kW): 1,1 / 4.0

Varvtal: 480 / 980

**Tjocklek på tank**

Botten: 3,90 mm

Cylinder: 3 mm

Topp: 3 mm

**Mer**

Isolerad: Nej

Vikt: 1.500