

20000 liter tank i Stål



93,000,00 kr /st exkl moms

Additional information: Compressed air tank in the chemical industry; 2 loose support saddles, Fe;
Manhole 320 x 420 mm

Volumetric volume (L): 20.000 L

Pressure in tank: pressure

Max. pressure (Bar): 10 Bar
Max. temperature (°C): 50 °C

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Cylinder: 9,60 mm
Bottom: 12 mm
Internal diameter tank: 2.000 mm
Total height of tank: 2.400 mm

Total outer length: 7.100 mm

SKU: 306338

Mer information

Beskrivning av produkt

Material: Stål

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Compressed air tank in the chemical industry; 2 loose support saddles, Fe;

Manhole 320 x 420 mm

Omrörare: Nej

Övertryck: 10 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Volym i liter: 20000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Stål

Dimensioner av tank

Invändig diameter: 2.000 mm

Total höjd: 2.400 mm

Tjocklek på tank

Botten: 12 mm

Cylinder: 9,60 mm

Mer

Isolerad: Nej
