

## 20000 liter tank i Stål



**93 000 SEK /st exkl moms**

**Additional information:** Compressed air tank in the chemical industry; 2 loose support saddles, Fe;  
Manhole 320 x 420 mm

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 10 Bar  
**Max. temperature (°C):** 50 °C

**Model:** horizontal  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** no  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** cylinder  
**Cylinder:** 9,60 mm  
**Bottom:** 12 mm  
**Internal diameter tank:** 2.000 mm  
**Total height of tank:** 2.400 mm

**Total outer length:** 7.100 mm

**SKU:** 306338

Mer information

## Beskrivning av produkt

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Compressed air tank in the chemical industry; 2 loose support saddles, Fe;

Manhole 320 x 420 mm

Omrörare: Nej

Övertryck: 10 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Volym i liter: 20000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Dimensioner av tank

Invändig diameter: 2.000 mm

Total höjd: 2.400 mm

## Tjocklek på tank

Botten: 12 mm

Cylinder: 9,60 mm

## Mer

Isolerad: Nej