
200000 liter tank i Rostfritt 304



966 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: we can't give any guarantees about the agitator
Volumetric volume (L): 200.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Top type: conical
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes
Fixation points: on skirt

Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: cylinder

Height manhole 1 (mm): 434 mm x H 534 mm
Agitator: yes
Agitator type: propeller agitator
Position engine: in the cylinder
Insulation top: yes

Insulation body: yes
Insulation thickness: 100
Internal diameter tank: 4.100 mm
Outer diameter tank: 4.350 mm
Cylinder height: 15.450 mm

Total height of tank: 17.175 mm

SKU: 414329

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: flat sloping
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 200000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank
Cylinderhöjd: 15.450 mm
Invändig diameter: 4.100 mm
Total höjd: 17.175 mm
Ytterdiameter: 4.350 mm

Omrörare
Position motor: in the cylinder
Typ av omrörare: propeller agitator

Tjocklek på ytterbeklädnad och isolering
Isolering mantel: Ja

Mer
Isoleringsmaterial: Ja
Isoleringstjocklek OW: 100
Isolerad: Ja

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se