2100 liter tank i Rostfritt 304



52 000 SEK /st exkl moms

Additional information: Manhole diameter: approx. 420 x 320 mm
Volumetric volume (L): 2.100 L
Pressure in tank: pressure
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Max Overpressure: 6 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.200 mm
Cylinder height: 1.238 mm
Total height of tank: 2.355 mm

SKU: 490542

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: Manhole diameter: approx. 420 x 320 mm
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.238 mm
Invändig diameter: 1.200 mm
Total höjd: 2.355 mm

Mer

Isolerad: Nej