

21000 liter tank i Rostfritt 304



135 000 SEK /st exkl moms

Additional information: Textile industry; Wall thickness of base at manhole: 4 mm; wall thickness of other base: 3 mm; insulation partially incomplete; insulating jacket partially detached or no longer complete; bump at the insulation jacket

Volumetric volume (L): 21.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 110
Cylinder: 3 mm
Internal diameter tank: 2.900 mm
Outer diameter tank: 3.180 mm
Total height of tank: 3.450 mm

Total outer length: 4.950 mm

SKU: 274972

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Textile industry; Wall thickness of the bottom at the manhole: 4 mm; Wall thickness of the other bottom: 3 mm; insulation partly no longer complete; Insulating jacket partially detached or no longer

Övrig information2: completely ; bump at the insulation jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 21000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.900 mm

Total höjd: 3.450 mm

Ytterdiameter: 3.180 mm

Tjocklek på tank

Cylinder: 3 mm

Mer

Isolerad: Ja
